ORDINANCE NO. 4910

AN ORDINANCE REZONING CERTAIN PARCELS OF LAND LYING IN CHAS. A. ROBERTS ADDITION TO THE CITY OF FARGO—HISTORIC OVERLAY DISTRICT

2

1

4

5

7

8

10

11 12

13

14 15

16

17 18

19

20

21

23

WHEREAS, the Fargo Planning Commission and the Board of City Commissioners of the City of Fargo have held hearings pursuant to published notice to consider the proposed rezoning of certain parcels of land lying in Chas. A. Roberts Addition, Fargo, Cass County, North Dakota; and,

WHEREAS, the Fargo Planning Commission recommended approval of the rezoning request on March 4, 2014; and,

WHEREAS, the rezoning changes were approved by the City Commission on March 31, 2014; and,

WHEREAS, pursuant to Section 20-0804 of the Fargo Land Development Code (LDC) the Historic Preservation Commission has the power, among other powers and duties enumerated therein, to perform functions which may be assigned or delegated to it by the Board of City Commissioners; and,

WHEREAS, the Board of City Commissioners has found and deemed said certain parcels to be an area that has historic or cultural significance and, in accordance with LDC §20-0305, has determined that establishment of an H-O, Historic Overlay District, is appropriate;

NOW, THEREFORE,

Be It Ordained by the Board of City Commissioners of the City of Fargo:

<u>Section 1</u>. The following described property:

All of Blocks A through F; Lots Thirteen through Twenty (13-20), less the North 18 feet of Lot Twenty (20), of Block G; All of Blocks K through V; all of Block W, less the right-of-way for Ninth Avenue South, Chas. A. Roberts Addition to the city of Fargo, Cass County, North Dakota and the South 20 feet of the East 150 feet of Block Forty-three (43) of Northern Pacific Addition to the city of Fargo, Cass County, North Dakota,

a map of which is attached to the Development Standards.

is hereby rezoned to apply a "H-O", Historic Overlay, District".

Said property shall be referred to as the "Chas. A. Roberts Addition Historic Overlay

	District".		
1	Pursuant to LDC §20-0305.C, the following special development standards which shall		
2	apply to all properties, new and existing, within Chas. A. Roberts Addition Historic Overlay District.		
3	CHAS A POREDTS ADDITION HISTORIC OVERLAN SPECIAL PROPERTY.		
4	CHAS. A. ROBERTS ADDITION HISTORIC OVERLAY SPECIAL DEVELOPMENT STANDARDS		
5	A. Authority		
6	In accordance with Section 20-0305.C of the Fargo Land Development Code, the		
7	following special development standards or regulations shall apply to all properties (new		
8	and existing) within the Chas. A. Roberts Addition Historic Overlay District.		
9	B. Boundaries		
10	The legal description of the boundary of this District is:		
11	All of Blocks A through E. Lots Thirteen the 1 To 4 (12 20) 1 1 27 1 20		
12	All of Blocks A through F; Lots Thirteen through Twenty (13-20), less the North 18 feet of Lot Twenty (20), of Block G; All of Blocks K through V; all of Block W, less the		
13	right-of-way for Ninth Avenue South, Chas. A. Roberts Addition to the city of Fargo,		
14	Cass County, North Dakota and the South 20 feet of the East 150 feet of Block Forty-three (43) of Northern Pacific Addition to the city of Fargo, Cass County, North Dakota.		
15			
16	This District is generally described as the area primarily bounded on the north by 6 th Avenue South; on the east by 5 th Street and 6 th Street South; on the south by 10 th Avenue		
17	South; and on the west by University Drive South. See generally Boundary Map below.		
18	C. Properties		
19	This subparagraph intentionally left blank.		
20			
21	D. Definitions		

1_	1. Historic Neighborhood Structure (HNS) is a structure that was built within the Historic Overlay District boundaries at the time the original addition(s) was developed.
2	de veloped.
3	2. Open Space is defined in Section 20-1202(43) of the Fargo Land Development
4	Code as "an outdoor, unenclosed area, located on the ground or on a roof,
5	balcony, deck, porch or terrace designed and accessible for outdoor living, recreation, pedestrian access or landscaping, but not including roads, parking
6	areas, driveways or other areas intended for vehicular travel.
7	2 Designational Designation of the state of
8	3. Principal Building refers to the primary structure on a property, i.e. a house or commercial structure.
9	
10	4. Accessory Building or Structure refers to a structure that is subordinate to the principal building, i.e. a garage, shed, or guest house.
11	principal building, i.e. a garage, shed, or guest house.
12	5. Style is the vocabulary used to classify structures according to their appearance,
13	structure, materials, and historic period. Important elements to include when
14	assigning style are:
15	• overall scale and relationship of height to width
16	 façade proportions and relationship of solids to voids window/door size, design, and operation
17	 size, shape and proportions of entrances and porches
18	materials, texture, and patternroof forms
19	 orientation, spacing, and site coverage of structures
20	• landscaping, walls, and fences Style Peferone: A Field Guide to American Houses, Viscinia and L. M. Alexandra
21	Style Reference: <u>A Field Guide to American Houses</u> , Virginia and Lee McAlester, Alfred A. Knopf, Inc., 1984.
11	

ORDINANCE NO. 4910

E. Certificate of Appropriateness

	or rappropriate mess		
	In accordance with Section 20-0912 of the Fargo Land Development Code, a Certificate of Appropriateness shall be issued prior to the review and issuance of any permit required for the following: (Note: A Certificate of Appropriateness is required only if a building permit is required) 1. Any change to the exterior appearance of any principal building, accessory building or structure. (Note: A Certificate of Appropriateness is not applicable interior changes)		
	2. Any new construction of a principal building, accessory building or structure.		
	3. The demolition of any principal building, accessory building or structure.		
	4.	The moving of any principal building, accessory building or structure.	
	5.	Placement or construction of a sign.	
F.	F. Special Development Standards – General		
	1. Open Space		
	At least 70% of a parcel's front yard shall be maintained as open space.		
	2. Front Yard Parking		
	Except for parking on driveways that run through the front yard to a garage, no parking is allowed in the front yard.		
	3. Side Yard Fencing		
		Stand-alone side yard fencing shall terminate a minimum of 2-feet behind the front façade of the principal structure.	
G.	Specia	Development Standards – Exterior Renovation	
	In conjunction with Section 20-0912.C(1) of the Fargo Land Development Code, the City		

Planner shall consider the following criteria in review of a request for a Certificate of

Appropriateness regarding the exterior renovation of a principal building, accessory

ORDINANCE NO. 4910

building or structure. A request that satisfies all of the following criteria shall be approved. 1 1. Principal Building 2 a. Exterior Cladding 3 1. Exterior cladding shall match the original principal building in 4 design, dimension, detail, texture, and pattern. The use of substitute materials is permissible if matching the existing material 5 is not technically or economically feasible. 6 2. If the principal building is void of its original exterior cladding, full 7 replacement cladding shall be of a design compatible with the historic style of structures located within the district. Repair or 8 partial replacement of non-original exterior cladding shall be 9 exempt from this regulation. 10 Windows and Doors 11 1. Windows and doors shall match the original principal building in design and operation. The use of substitute materials is permissible 12 if matching the existing material is not technically or economically 13 feasible. 14 2. If the principal building is void of its original windows or doors, 15 replacement windows and doors shall be of a design compatible with the historic style of structures located within the district. The 16 use of substitute materials is permissible if matching the existing 17 material is not technically or economically feasible. 18 3. Window or door openings shall not be increased or decreased by more than 10% in dimension or total area. Any changes in 19 dimension or area will require review by the Fargo Historic 20 Preservation Commission. 21 c. Roofs 22

	1. Roof functional and decorative features, such as roofing materials,	
1	cresting, dormers, chimneys, cupolas, vents, and gutters shall	
2	match the original in design, dimension, detail, texture, and pattern. The use of substitute materials is permissible if matching	
3	the existing material is not technically or economically feasible.	
4	2. Skylights are prohibited on all roof planes parallel to and facing the street.	
5	2. Accessory Buildings or Structures	
6		
7	a. Alterations to accessory buildings and structures shall be compatible with the style of the principal building, and shall be subordinate to the principal	
8	building.	
9	H. Special Development Standards - Additions	
10	In conjunction with Section 20-0912.C(2) of the Fargo Land Development Code, the	
11	Historic Preservation Commission shall consider the following criteria in review of a	
12	request for a Certificate of Appropriateness regarding an addition to a principal building	
13	accessory building or structure. A request that satisfies all of the following criteria shall be approved.	
14	1. Principal Building	
15	a. Exterior Cladding	
16	1. Exterior cladding of the addition shall match the original principal	
17	building in design, dimension, detail, texture, and pattern. The use	
18	of substitute materials is permissible if matching the existing material is not technically or economically feasible.	
19		
20	2. If the principal building is void of its original exterior cladding, the cladding of the addition shall match the existing cladding of the	
21	principal structure. The use of substitute materials is permissible if matching the existing material is not technically or economically	
22	feasible.	

ORDINANCE NO. 4910

	b. Windows and Doors		
1	1. Windows and doors of the addition shall match the original		
2	principal building in style, design and operation. The use of substitute materials is permissible if the original material is not		
3	technically or economically feasible.		
4	2. If the principal building is void of its original windows or doors,		
5	the window and doors of the addition shall match the existing		
6	principal building. The use of substitute materials is permissible if the existing material is not technically or economically feasible		
7	3. A garage door of an attached, front-yard entered garage addition		
8	shall not exceed 10 feet in width or 8 feet in height. A double-stall		
9	garage will require 2 doors.		
10	c. Roofs and Dormers		
11 12	 The roof form of an addition to the principal building shall be consistent with the roof style and pitch of the principal building. 		
13	2. Flat roofs and shed roofs are prohibited, except on porches and where consistent with the roof form of the original principal		
14	building.		
15	3. All gable roofs shall have a minimum pitch of 6:12. All hip roofs		
16	must have a minimum pitch of 3:12.		
17	4. The reconstruction or addition of dormers to an existing principal building, or the addition of dormers to an addition to a principal		
18	building shall be consistent with the style of a HNS.		
19	5. Roof functional and decorative features, such as roofing materials,		
20	cresting, dormers, chimneys, cupolas, vents, and gutters shall		
21	match the original principal building in design, dimension, detail, texture, and pattern. The use of substitute materials is permissible		
	to permissible		

ORDINANCE NO. 4910

if matching the existing material is not technically or economically feasible.

- 6. If the roof of the principal building is void of its original functional and decorative features, the roof of the addition shall match the existing roof of the principal structure. The use of substitute materials is permissible if matching the existing material is not technically or economically feasible.
- 7. Skylights are prohibited on all roofs parallel to and facing the street.

d. Entrances, Porches, and Decks

- 1. A new front entrance addition to the principal building shall face the street.
- 2. A new front entrance addition to the principal building shall have no fewer than four steps, or an equivalent ramp distance, from the ground level to the bottom of the front entrance door, or shall have the first floor plane in a style compatible with HNS.
- 3. Reconstruction of an open or screened porch (not an enclosed porch which provides year-round living space) which was historically a part of the original principal building shall be allowed to be rebuilt, and as may be necessary to accurately reconstruct, shall be allowed to vary by right from any existing zone district setback standards of the Fargo Land Development Code. The burden of establishing that a porch was part of the original structure is the owner's burden, not the City's.
- 4. Decks are prohibited in front yards.
- 5. On corner lots, decks are allowed on street side yards with screening, either by fence or landscaping.
- e. Height and Elevation

ORDINANCE NO. 4910

- 1. The height of a new addition to a principal building shall not exceed the overall scale of a HNS with a maximum eave height of 25 feet.
- 2. The height of a new addition to the principal building shall not be greater than the height of the principal building, except in the case of a second story addition to a single story principal building, the result of which is the creation of a two-story principal building consistent with a HNS.

2. Accessory Buildings or Structures

- a. Additions to existing accessory buildings or structures shall be subordinate in scale and compatible with the design and style of the principal structure.
- b. An addition to an existing accessory building that does not meet the dimensional setback standards of the LDC and does not increase in total floor area of the existing accessory building by more than 40%, is permissible by right, provided that: 1) the existing non-conforming setback is not increased; 2) the property line from which the non-conforming setback is determined is verified by a registered land surveyor; and 3) the new accessory building addition is limited in height to no more than one-story with 10-foot maximum sidewalls.

I. Special Development Standards - New Construction

In conjunction with Section 20-0912.C(2) of the Fargo Land Development Code, the Historic Preservation Commission shall consider the following criteria in review of a request for a Certificate of Appropriateness regarding the new construction of a principal building, accessory building or structure. A request that satisfies all of the following criteria shall be approved.

1. Principal Building

a. Proportion

1. The size and mass of the principal building in relation to open spaces, windows, door openings, porches, and balconies, must be

9

2 3

5 6

4

7 8

9

11 12

13

14 15

16 17

18

19

2021


22

1	visually compatible with the structures and places to which it is visually related.	
2	2. The relationship of the width of the principal building to the height of the front elevation must be visually compatible with structures	
3	to which it is visually related.	
4 5	3. The relationship of solids to voids in the front facade of a principal building must be visually compatible with structures to which it is	
6	visually related.	
7	4. The relationship of the principal building to the open space between it and adjoining structures must be visually compatible	
8	with structures and places to which it is visually related.	
9	b. Exterior Cladding	
10 11	The relationship of the materials, detail, and pattern of the facade of a principal structure must be visually compatible with structures	
12	and places to which it is visually related.	
13	c. Windows and Doors	
14	The relationship of the width of the windows and doors to the height of windows and doors in the principal structure must be	
15	visually compatible with structures to which it is visually related.	
16	2. Any garage door visible from the street shall not exceed 10 feet in width and 8 feet in height.	
17	d. Roofs and Dormers	
18		
19 20	1. The roof shape of the principal building must be visually compatible with structures, to which it is visually related.	
21	2. Flat roofs and shed roofs are prohibited, except on porches and where consistent with the roof form of an HNS	

1	3. All gable roofs shall have a minimum pitch of 6:12. All hip roofs must have a minimum pitch of 3:12.
2	4. Dormers of the principal building shall be consistent with the style of the structure.
3	5. Skylights are prohibited on all roofs parallel to and facing the street.
5	e. Entrances, Porches, and Decks
6 7	1. The front entrance of the principal building shall face the street.
8	2. The front entrance to the principal building shall have no fewer than four steps, or an equivalent ramp distance, from the ground
9	level to the bottom of the front entrance door, or shall have the first floor plane in a style compatible with HNS.
10	3. Decks are prohibited in front yards.
12	4. On corner lots, decks are allowed on street side yards with screening, either by fence or landscaping.
13	f. Height and Elevation
14 15	1. The height of the principal building must be visually compatible
	with structures to which it is visually related.
16 17	 The height of the principal building shall not exceed the overall scale of HNS with a maximum eave height of 25 feet.
18	3. The principal building shall be constructed to have the first floor
19	plane in a style compatible with HNS.
20	2. Accessory Buildings or Structures
21	 New accessory building or structures shall be subordinate in scale and compatible with the design and style of the principal building.
22	o and principal building.

1	b. Except HNS designed with an attached garage, all garage structures shall be located in the rear yard. Any garage door visible from the street shall		
2	not exceed 10 feet in width or 8 feet in height.		
3	c. Reconstruction (including its enlargement by up to 40% in total floor area) of an existing accessory building, which does not meet the dimensional		
4 5	right, provided that: 1) the existing non-conforming setback is not		
6	increased; 2) the property line from which the setback is determined is verified by a registered land surveyor; and 3) the new accessory building is limited in height to no more than one-story with 10-foot maximum		
7	sidewalls.		
8	J. Special Development Standards – Demolition		
9	In conjunction with Section 20-0912.C(2) of the Fargo Land Development Code, the		
10	Historic Preservation Commission shall consider the following criteria in review of a		
11	request for a Certificate of Appropriateness regarding the demolition of a principal		
12	building, accessory building or structure. A request that satisfies all of the following criteria shall be approved.		
13	1. The requested demolition is justified by the state of deterioration, disrepair and		
14	structural stability of the structure, or the building has been condemned.		
15	2. The requested demolition is not detrimental to the overall style of the historic		
16	district.		
17	3. The requested demolition is consistent with the purpose of the Comprehensive		
18	Plan and other adopted policies of the City.		
19	K. Variance of Special Development Standards		
20	To allow for a variance of hardships that may arise from the strict application of any of		
21	the foregoing Special Development Standards, the Historic Preservation Commission may consider requests to deviate from any applicable standard(s) and allow for an		
22	exception(s). A two-thirds vote of the Historic Preservation Commission is required for		
23	approval of any exception to the Special Development Standards.		

ORDINANCE NO. 4910



Section 2. The City Auditor is hereby directed to amend the zoning map now on file in his office so as to conform with and carry out the provisions of this ordinance.

1	Section 3. This ordinance shall approval.	l be in full force and effect from and after its passage and
2		
3		Low M. Wilsh
4	(SEAL)	Dennis R. Walaker, Mayor
5	Attest:	
6	Swa Sm.	First Reading: 03-31-2014
7	Steven Sprague, City Auditor	Second Reading: 04-14-2014 Final Passage: 04-14-2014
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		